

# South coast NSW Forage Value Index

## Annual ryegrass

### 2026 Update

The Forage Value Index (FVI) is a tool that helps Australian dairy farmers and their advisors to make more informed decisions when selecting ryegrass cultivars.

### How the FVI is calculated

Farmers and their advisors should use these lists to assist in making selection decisions on which ryegrass varieties to sow in 2026. The data and science behind the FVI is very robust and information is presented in an easy to use manner.

**When considering a variety of ryegrass to sow this year, ensure that it is ranked highly in the FVI for that ryegrass species.**

Differences between varieties that are ranked closely together in the FVI are often very minor. The intention of the FVI is not to have farmers picking the top variety only, without any consideration of any other factors. Indeed there is often very marginal difference between the top ranked cultivars in each species. Where the FVI is hugely valuable for a farmer is actually in demonstrating the poorest ranked varieties within that species.

**The main reason a farmer should use the FVI is to make sure they are not selecting a poor, less profitable variety that is near the bottom of the list.**

Often the price of a variety has little correlation to its position on the FVI list. Use the FVI to avoid overpaying for a variety that is poorly ranked.

Figure 1 Map of trial locations across South-eastern Australia used in the 2026 FVI.



## Reference varieties

Across the three different species of ryegrass, the Performance Value is expressed as the percentage change in yield relative to a selected reference cultivar that effectively acts as the genetic base for that species in the FVI.

The reference cultivar is a well-known variety for each ryegrass species, where farmers and advisors are more likely to have a good understanding and knowledge of its performance over many years across various environments. The current reference cultivars for each species are as follows:

- Perennial ryegrass: **Victorian Ryegrass (Vic Rye)**
- Annual ryegrass: **Tetila** (from a certified source to ensure consistency across trials)
- Italian ryegrass: **Crusader**.

## Coloured bars

The FVI for each cultivar is expressed as a numerical value and is also assigned within a coloured bar. The FVI value is a prediction of extra operating profit per hectare over and above the reference cultivar in each species, which always has an FVI value of zero. Cultivars within the same-coloured bar are not significantly different to each other at the 95 per cent confidence interval.

The FVI information allows users to rank cultivars according to their region and user nominated attributes (e.g. seasonal yields, ploidy, heading date, endophyte and metabolisable energy). The number of trials in which the cultivar has been tested is also included in the table.

## Seasonal yield tables

The accompanying tables of cultivar performance during the various FVI seasons are of particular importance to dairy farmers, depending upon their farming system and calving pattern. For example, dairy farmers that calve in the autumn might favour those cultivars that have a higher performance value for autumn and winter as they would likely value greater winter growth in their pastures. The vast majority of trial data comes from the Pasture Trial Network (PTN), and users can now check out the details of individual trials on the PTN in addition to the FVI rankings. They can be accessed at [etools.mla.com.au/ptn](http://etools.mla.com.au/ptn) or by scanning the QR code.



## Forage quality - Annual and Italian ryegrass

A new feature introduced for 2025 and continued this year is the expansion of forage quality estimates at a varietal level from Perennial ryegrass, to now also include some Annual and Italian ryegrass varieties. Metabolisable energy (ME) was the measure chosen to provide an indication of seasonal forage quality for each cultivar.

Pasture samples were collected at an individual plot level and ME concentration was measured using near infrared (NIR) spectroscopy analysis across all five FVI seasons. Metabolisable energy is presented in the FVI tables below as megajoules of ME per kg of dry matter. Performance values for ME were calculated using the same statistical methodology used to create seasonal and total annual dry matter yield values for each cultivar.

For Annual and Italian ryegrass, the forage quality trait has not been incorporated into the overall FVI ranking for each cultivar in each region. Two trials were analysed for forage quality in 2024 in Annual and Italian ryegrass and not every variety was included in those two trials. However, farmers can still look at the mean yearly and seasonal forage quality value for each cultivar that was tested, to get an initial idea of the variation in ME between the different cultivars.

## Forage quality - Perennial ryegrass

Forage quality has now been included as a trait in the overall FVI calculation for each variety. This marks an significant evolution of the index to one that is based on more than one trait of economic importance to farmers (dry matter yield) to a genuine multi-trait index. The methodology used to achieve this is outlined in detail in the following paper:

*Lewis, C.D., Smith, K.F., Jacobs, J.L., Ho, C.K.M., Leddin, C.M., Moate, P.J. and Malcolm, B., 2024. Using a two-price market value framework to value differences in metabolisable energy concentration of pasture across seasons. Agricultural Systems, 217, p.103939.*

## South coast NSW: Forage Value Index 2026 – ANNUAL RYEGRASS

Cultivar		FVI South coast NSW Total trials	Autumn	Winter	Early spring	Late spring	Summer	Endophyte	Ploidy	Heading date	Marketer	Trials in South coast NSW	Overall metabolisable energy
Torpedo LM		568	5	154	108	101	105	183	Nil	T	Late	Upper Murray Seeds	0
Prodigy		556	5	136	110	105	104	194	Nil	T	Late	AGF Seeds	0
Zoom		468	8	138	102	107	107	167	Nil	T	Late	Cropmark Seeds	0
Jivet		464	11	153	106	100	106	155	Nil	T	Late	DLF Seeds	0
Hogan		461	21	125	105	103	106	186	Nil	T	Late	Barenbrug Australia	1
Dominator		430	7	143	107	104	107	146	Nil	T	Late	Tasglobal Seeds	0
Revel		425	6	117	115	101	107	169	Nil	T	Late	DLF Seeds	0
Ascend		423	18	133	102	100	111	164	Nil	T	Mid	DLF Seeds	1
Speedyl		421	22	138	107	102	104	162	Nil	T	Late	RAGT	1
RGT Pinnacle		418	20	136	108	101	103	164	Nil	T	Late	RAGT	1
RGT Menvyl		415	13	140	107	101	103	159	Nil	T	Late	RAGT	1
Mach 1		408	22	136	102	101	107	163	Nil	T	Mid	DLF Seeds	1
Apex 2		377	8	152	109	99	102	135	Nil	T	Late	AGF Seeds	0
Loader		359	5	135	97	103	107	154	Nil	T	Late	AlfaGen Seeds	0
Astound		321	4	146	90	99	116	130	Nil	T	Mid	Valley Seeds	0
Fuze		312	16	107	102	101	108	169	Nil	D	Late	Barenbrug Australia	1
Vortex		298	6	136	104	101	113	114	Nil	T	Mid-Late	Barenbrug Australia	1
Finefeed		294	4	131	102	103	102	142	Nil	D	Late	Valley Seeds	0
Kiama		269	4	116	92	97	105	174	Nil	T	Late	AlfaGen Seeds	0
Rozent		267	16	120	97	100	103	159	Nil	D	Late	RAGT	0
Dash		267	9	123	90	94	105	175	Nil	T	Very Late	Cropmark Seeds	0
Epic		229	5	117	99	98	107	141	Nil	D	Mid-Late	AGF Seeds	0
Evoke		189	5	131	85	99	111	126	Nil	T	Late	Valley Seeds	0
Atomic		188	6	117	109	101	107	105	Nil	T	Mid	Upper Murray Seeds	1
<b>Tetila</b>		<b>0</b>	<b>27</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>Nil</b>	<b>T</b>	<b>Early</b>	<b>Various</b>	<b>1</b>
													<b>11.80</b>

### Notes

- 1 Data to create the performance values for each cultivar were taken from 27 Annual ryegrass trials. The trials were located in the following regions and were measured at various stages between 2015 and 2024 – Leongatha, Terang, Howlong (x3), Kiewa Valley, Taree, Aberdeen (x3), Lardner Park, Bega, Warrnambool (x2), Colac, Macarthur, Bairnsdale and Oaks. In 2025, new trials were added from Penshurst and Smeaton (South-west Vic), Lardner Park (Gippsland), Tallygaroopna (Northern Vic) Aberdeen and Wingham (both NSW). For this new 2026 update three new trials from Wingham (NSW), Gomersal (SA) and Cressy (Tas) were added.
- 2 The total number of trials can be used as an indication of the reliability of the ranking for each cultivar. Cultivars with large trial numbers are likely to be more accurate in their position on the list.
- 3 Tetila was chosen as the reference cultivar for the Annual ryegrass FVI, due to its relative performance being more widely known by the dairy industry compared to the other options. The reference cultivar in the FVI is always zero, and the FVI for all other cultivars in the list are measured against this variety.
- 4 Metabolisable energy (ME) is presented for each cultivar as megajoules of ME per Kg of dry matter. These data were obtained from two PTN trials in 2023 (Aberdeen and Lardner Park). These values currently do not contribute to the overall FVI ranking for each cultivar in Annual and Italian ryegrass but will do so in future when sufficient forage quality data is available. Values are provided this year to give an indication to farmers of the variation in forage quality between cultivars. Any cultivar with no metabolisable energy value shown was not entered in either of the two trials sampled for forage quality.

## Legend

Heading	Description
Cultivar	A plant variety that has been produced by selective breeding. Cultivars are as listed as on the Australian Seed Federation Pasture Seed Database.
Colour bars	Cultivars with the same colour are not significantly different from each other.
FVI	The rating is based on the outcome of economic and performance values for each cultivar.
Total trials	To be included in the Annual ryegrass Forage Value Index database, each cultivar must have data from at least four, one-year trials.
Seasonal performance	A performance value is based on the difference in dry matter production between a cultivar's seasonal performance and that of Tetila Annual ryegrass. This is a percentage ranking – per cent better or worse than Tetila. For example, Tetila is always 100 for each FVI season. A cultivar that is 110 means that it produced 110 per cent of the dry matter produced by Tetila in that particular FVI season. A cultivar that is 97 means it produced 97 per cent of the dry matter produced by Tetila in that particular FVI season.
Autumn	March/April/May
Winter	June/July
Early spring	August/September
Late spring	October/November
Summer	December/January/February
Endophyte	A fungus that protects plants from a range of insect pests. Different types of endophytes affect persistence, dry matter production, insect pest species and nutritive value in different ways.
Ploidy	The number of chromosomes per cell in the plant. A diploid ryegrass has two, while a tetraploid has four.
Heading date	The date when 50 per cent of the plants of a variety have emerged seed heads in a typical year. Heading dates are listed on the Australian Seed Federation Pasture Seed Database.
Marketer	The company marketing the cultivar.
Metabolisable energy	A measure of the Forage Quality of each cultivar, measures as megajoules of ME/kg of dry matter. Cultivars with higher ME values are likely to have greater milk production potential for the same level of dry matter intake.



## Economic values

The economic values are a key aspect of the overall Forage Value Index. While the performance values are the same across all regions in the FVI at present, the seasonal value of the extra pasture is different across the regions. Hence, localised regional tables are provided to more accurately reflect the marginal value of a kilogram of ryegrass in the different parts of the country. The methodology with which the economic values are calculated for the FVI changed for the 2022, and now new updates to these economic values using the same methodology have been used in the 2025 FVI update.

### Original individual case study farm approach

When the FVI was first introduced, economic values were developed using a case study farm approach in each of the four regions where Perennial ryegrass is dominant (South-west Victoria, Northern Victoria, Gippsland and Tasmania). A typical dairy system based on a real farm business in each region was modelled, with the base monthly estimated metabolisable energy requirements of the herd, the feed consumed, and the pasture consumption per hectare defined. For each of the five FVI seasons, the economic value of the additional pasture to the case study farm system was estimated according to the market value of feeds that the additional pasture replaced (on an equivalent energy basis), or as the net market value of hay or silage produced if the additional pasture was surplus to the case study farm requirements. Farming systems, even within regions in Australia, are quite diverse by comparison to other pasture based dairy industries elsewhere in the world. The case study farm approach to determine economic values provided a good indication of the general value of additional pasture yield in each region, but was limited by how representative the case study farm is for each region.

### New market value approach adopted from 2022 FVI onwards

The new approach for calculating economic values simplifies the way extra seasonal pasture production is valued. Seasons when grazed pasture is typically in deficit and in surplus are defined for each FVI region. For example, in Gippsland, pasture was assumed to be in deficit during summer, autumn and winter, and in surplus during early and late spring. Extra pasture produced in a period when it is typically in deficit is of greater value than periods when it is typically in surplus. In seasons of deficit, extra pasture is valued as its maximum replacement cost; as purchased supplementary feed, and in seasons of surplus it is valued at its minimum salvage value; as standing hay to be conserved. Market prices of feeds delivered to each region were used to establish these maximum and minimum economic values on an equivalent nutritive value basis.

### How the new approach for calculating economic values affects the ranking of cultivars in the FVI

A previous release of the FVI was used prior to the 2023 FVI update to compare the two methods of calculating the economic values, to assess whether it made a difference to the FVI rankings. The FVI of 19 Perennial ryegrass cultivars was calculated using the economic values from the original case study farm method and the market value approach, across the three Victorian regions. The 19 cultivars were compared to a common reference cultivar (Victorian), which was assigned a value of zero. Using the economic values calculated by the original case study farm method, the 19 cultivars were calculated to be worth an extra \$0-\$180 per ha more than Victorian ryegrass, the reference cultivar. Using the economic values calculated by the market value approach, the same 19 cultivars were calculated to be worth an extra \$24-\$200/ha more than the same reference cultivar. Hence, it is clear that there is good agreement between the two methods for calculating the economic values.

### Advantages of the market value approach

There are several advantages to using the market value approach. First, the economic values are applicable to all producers who buy and sell substitutes for grazed pasture, and who experience similar timings of pasture surpluses and deficits. This removes the limitations of having a single representative farm for each region. Second, the simplified approach makes it easier to communicate how the economic values have been calculated. This enables farmers to more easily consider how the FVI rankings relate to their individual circumstances. Lastly, regional differences can be accounted for in seasonality of pasture supply, and feed types and prices, and the economic values are relatively straightforward to update once established.

### Update to 2025 economic values

Using the same two-prong market value framework as described above, the feed prices used in the economic value calculations for 2025 were updated to reflect 2022 dollar values instead of 2020 dollar values. The estimated cost of hay conservation (used for the salvage value component of the equation) was also updated to reflect 2022 average prices. This allowed inflation to be accounted for and resulted in both feed cost and conservation costs used being 10 per cent greater than the previously used values.

## New economic values updated for 2025 onwards

The 2025 update of the FVI used newly updated economic values for all three ryegrass species, as described on the previous page in detail. In South-west Victoria, Northern Victoria, Gippsland and Tasmania, grazed pasture was assumed to be in deficit during autumn, winter and summer, and surplus during early spring and late spring.

In South-coast NSW and North-coast NSW, grazed pasture was assumed to be in deficit during autumn and winter and surplus during early spring, late spring, and summer.


Separate economic values for dry matter yield have now been calculated for Perennial ryegrass cultivars and for Annual/Italian ryegrass cultivars for the Victorian and Tasmanian regions. This aims to better reflect differences in the seasonal nutritive value of Perennial versus Annual/Italian ryegrasses when calculating the economic values.

### Perennial ryegrass seasonal yield economic values for the 2025 Forage Value Index (\$/kg DM)

Region	Autumn	Winter	Early spring	Late spring	Summer
South-west Victoria	0.40	0.41	0.34	0.32	0.36
Northern Victoria	0.39	0.40	0.33	0.31	0.35
Gippsland	0.45	0.46	0.39	0.36	0.40
Tasmania	0.43	0.45	0.35	0.33	0.39

### Annual and Italian ryegrass seasonal yield economic values for the 2025 Forage Value Index (\$/kg DM)

Region	Autumn	Winter	Early spring	Late spring	Summer
South-west Victoria	0.37	0.37	0.29	0.29	0.35
Northern Victoria	0.38	0.38	0.30	0.30	0.36
Gippsland	0.42	0.42	0.35	0.35	0.40
Tasmania	0.41	0.42	0.31	0.31	0.38
South-coast NSW	0.44	0.44	0.37	0.37	0.36
Mid-north coast NSW	0.47	0.48	0.38	0.38	0.38



## South coast NSW: Autumn seasonal performance – ANNUAL RYEGRASS

Cultivar	FVI South coast NSW	Autumn	Winter	Early spring	Late spring	Summer	Endophyte	Ploidy	Heading date	Marketer	No. of trials	Autumn metabolisable energy
Torpedo LM	568	154	108	101	105	183	Nil	T	Late	Upper Murray Seeds	5	
Jivet	464	153	106	100	106	155	Nil	T	Late	DLF Seeds	11	12.0
Apex 2	377	152	109	99	102	135	Nil	T	Late	AGF Seeds	8	11.9
Astound	321	146	90	99	116	130	Nil	T	Mid	Valley Seeds	4	
Dominator	430	143	107	104	107	146	Nil	T	Late	Tasglobal Seeds	7	
RGT Menvyl	415	140	107	101	103	159	Nil	T	Late	RAGT	13	12.1
Zoom	468	138	102	107	107	167	Nil	T	Late	Cropmark Seeds	8	
Speedyl	421	138	107	102	104	162	Nil	T	Late	RAGT	22	11.8
Mach 1	408	136	102	101	107	163	Nil	T	Mid	DLF Seeds	22	11.8
Vortex	298	136	104	101	113	114	Nil	T	Mid-Late	Barenbrug Australia	6	
RGT Pinnacle	418	136	108	101	103	164	Nil	T	Late	RAGT	20	11.6
Prodigy	556	136	110	105	104	194	Nil	T	Late	AGF Seeds	5	11.7
Loader	359	135	97	103	107	154	Nil	T	Late	AlfaGen Seeds	5	11.7
Ascend	423	133	102	100	111	164	Nil	T	Mid	DLF Seeds	18	
Evoke	189	131	85	99	111	126	Nil	T	Late	Valley Seeds	5	
Finefeed	294	131	102	103	102	142	Nil	D	Late	Valley Seeds	4	
Hogan	461	125	105	103	106	186	Nil	T	Late	Barenbrug Australia	21	11.9
Dash	267	123	90	94	105	175	Nil	T	Very Late	Cropmark Seeds	9	
Rozen	267	120	97	100	103	159	Nil	D	Late	RAGT	16	12.0
Atomic	188	117	109	101	107	105	Nil	T	Mid	Upper Murray Seeds	6	
Epic	229	117	99	98	107	141	Nil	D	Mid-Late	AGF Seeds	5	
Revel	425	117	115	101	107	169	Nil	T	Late	DLF Seeds	6	11.9
Kiama	269	116	92	97	105	174	Nil	T	Late	AlfaGen Seeds	4	11.7
Fuze	312	107	102	101	108	169	Nil	D	Late	Barenbrug Australia	16	12.3
<b>Tetila</b>	<b>0</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>Nil</b>	<b>T</b>	<b>Early</b>	<b>Various</b>	<b>27</b>	<b>12.2</b>

## South coast NSW: Winter seasonal performance – ANNUAL RYEGRASS

Cultivar	FVI South coast NSW	Winter	Early spring	Late spring	Summer	Autumn	Endophyte	Ploidy	Heading date	Marketer	No. of trials	Winter metabolisable energy
Revel	425	115	101	107	169	117	Nil	T	Late	DLF Seeds	6	12.9
Prodigy	556	110	105	104	194	136	Nil	T	Late	AGF Seeds	5	12.9
Atomic	188	109	101	107	105	117	Nil	T	Mid	Upper Murray Seeds	6	
Apex 2	377	109	99	102	135	152	Nil	T	Late	AGF Seeds	8	12.8
Torpedo LM	568	108	101	105	183	154	Nil	T	Late	Upper Murray Seeds	5	
RGT Pinnacle	418	108	101	103	164	136	Nil	T	Late	RAGT	20	12.9
Dominator	430	107	104	107	146	143	Nil	T	Late	Tasglobal Seeds	7	
RGT Menvyl	415	107	101	103	159	140	Nil	T	Late	RAGT	13	12.9
Speedyl	421	107	102	104	162	138	Nil	T	Late	RAGT	22	12.8
Jivet	464	106	100	106	155	153	Nil	T	Late	DLF Seeds	11	12.9
Hogan	461	105	103	106	186	125	Nil	T	Late	Barenbrug Australia	21	12.9
Vortex	298	104	101	113	114	136	Nil	T	Mid-Late	Barenbrug Australia	6	
Ascend	423	102	100	111	164	133	Nil	T	Mid	DLF Seeds	18	
Mach 1	408	102	101	107	163	136	Nil	T	Mid	DLF Seeds	22	12.8
Zoom	468	102	107	107	167	138	Nil	T	Late	Cropmark Seeds	8	
Fuze	312	102	101	108	169	107	Nil	D	Late	Barenbrug Australia	16	12.7
Finefeed	294	102	103	102	142	131	Nil	D	Late	Valley Seeds	4	
<b>Tetila</b>	<b>0</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>Nil</b>	<b>T</b>	<b>Early</b>	<b>Various</b>	<b>27</b>	<b>12.7</b>
Epic	229	99	98	107	141	117	Nil	D	Mid-Late	AGF Seeds	5	
Loader	359	97	103	107	154	135	Nil	T	Late	AlfaGen Seeds	5	12.8
Rozen	267	97	100	103	159	120	Nil	D	Late	RAGT	16	12.7
Kiama	269	92	97	105	174	116	Nil	T	Late	AlfaGen Seeds	4	12.5
Astound	321	90	99	116	130	146	Nil	T	Mid	Valley Seeds	4	
Dash	267	90	94	105	175	123	Nil	T	Very Late	Cropmark Seeds	9	
Evoke	189	85	99	111	126	131	Nil	T	Late	Valley Seeds	5	

## South coast NSW: Early spring seasonal performance – ANNUAL RYEGRASS

Cultivar	FVI South coast NSW	Early spring	Late spring	Summer	Autumn	Winter	Endophyte	Ploidy	Heading date	Marketer	No. of trials	Early spring metabolisable energy
Zoom	468	107	107	167	138	102	Nil	T	Late	Cropmark Seeds	8	
Prodigy	556	105	104	194	136	110	Nil	T	Late	AGF Seeds	5	13.0
Dominator	430	104	107	146	143	107	Nil	T	Late	Tasglobal Seeds	7	
Finefeed	294	103	102	142	131	102	Nil	D	Late	Valley Seeds	4	
Loader	359	103	107	154	135	97	Nil	T	Late	AlfaGen Seeds	5	12.8
Hogan	461	103	106	186	125	105	Nil	T	Late	Barenbrug Australia	21	13.2
Speedyl	421	102	104	162	138	107	Nil	T	Late	RAGT	22	13.2
Revel	425	101	107	169	117	115	Nil	T	Late	DLF Seeds	6	13.1
RGT Pinnacle	418	101	103	164	136	108	Nil	T	Late	RAGT	20	13.3
Mach 1	408	101	107	163	136	102	Nil	T	Mid	DLF Seeds	22	13.2
Torpedo LM	568	101	105	183	154	108	Nil	T	Late	Upper Murray Seeds	5	
RGT Menvyl	415	101	103	159	140	107	Nil	T	Late	RAGT	13	13.1
Fuze	312	101	108	169	107	102	Nil	D	Late	Barenbrug Australia	16	13.0
Vortex	298	101	113	114	136	104	Nil	T	Mid-Late	Barenbrug Australia	6	
Atomic	188	101	107	105	117	109	Nil	T	Mid	Upper Murray Seeds	6	
Jivet	464	100	106	155	153	106	Nil	T	Late	DLF Seeds	11	13.2
Rozen	267	100	103	159	120	97	Nil	D	Late	RAGT	16	13.1
Ascend	423	100	111	164	133	102	Nil	T	Mid	DLF Seeds	18	
<b>Tetila</b>	<b>0</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>Nil</b>	<b>T</b>	<b>Early</b>	<b>Various</b>	<b>27</b>	<b>12.9</b>
Astound	321	99	116	130	146	90	Nil	T	Mid	Valley Seeds	4	
Apex 2	377	99	102	135	152	109	Nil	T	Late	AGF Seeds	8	13.4
Evoke	189	99	111	126	131	85	Nil	T	Late	Valley Seeds	5	
Epic	229	98	107	141	117	99	Nil	D	Mid-Late	AGF Seeds	5	
Kiama	269	97	105	174	116	92	Nil	T	Late	AlfaGen Seeds	4	13.2
Dash	267	94	105	175	123	90	Nil	T	Very Late	Cropmark Seeds	9	

## South coast NSW: Late spring seasonal performance – ANNUAL RYEGRASS

Cultivar	FVI South coast NSW	Late spring	Summer	Autumn	Winter	Early spring	Endophyte	Ploidy	Heading date	Marketer	No. of trials	Late spring metabolisable energy
Astound	321	116	130	146	90	99	Nil	T	Mid	Valley Seeds	4	
Vortex	298	113	114	136	104	101	Nil	T	Mid-Late	Barenbrug Australia	6	
Ascend	423	111	164	133	102	100	Nil	T	Mid	DLF Seeds	18	
Evoke	189	111	126	131	85	99	Nil	T	Late	Valley Seeds	5	
Fuze	312	108	169	107	102	101	Nil	D	Late	Barenbrug Australia	16	11.3
Loader	359	107	154	135	97	103	Nil	T	Late	AlfaGen Seeds	5	11.5
Atomic	188	107	105	117	109	101	Nil	T	Mid	Upper Murray Seeds	6	
Epic	229	107	141	117	99	98	Nil	D	Mid-Late	AGF Seeds	5	
Revel	425	107	169	117	115	101	Nil	T	Late	DLF Seeds	6	11.1
Dominator	430	107	146	143	107	104	Nil	T	Late	Tasglobal Seeds	7	
Mach 1	408	107	163	136	102	101	Nil	T	Mid	DLF Seeds	22	11.0
Zoom	468	107	167	138	102	107	Nil	T	Late	Cropmark Seeds	8	
Hogan	461	106	186	125	105	103	Nil	T	Late	Barenbrug Australia	21	11.2
Jivet	464	106	155	153	106	100	Nil	T	Late	DLF Seeds	11	11.2
Torpedo LM	568	105	183	154	108	101	Nil	T	Late	Upper Murray Seeds	5	
Dash	267	105	175	123	90	94	Nil	T	Very Late	Cropmark Seeds	9	
Kiama	269	105	174	116	92	97	Nil	T	Late	AlfaGen Seeds	4	11.1
Prodigy	556	104	194	136	110	105	Nil	T	Late	AGF Seeds	5	11.5
Speedyl	421	104	162	138	107	102	Nil	T	Late	RAGT	22	11.6
RGT Menvyl	415	103	159	140	107	101	Nil	T	Late	RAGT	13	11.2
RGT Pinnacle	418	103	164	136	108	101	Nil	T	Late	RAGT	20	11.3
Rozen	267	103	159	120	97	100	Nil	D	Late	RAGT	16	11.5
Apex 2	377	102	135	152	109	99	Nil	T	Late	AGF Seeds	8	11.1
Finefeed	294	102	142	131	102	103	Nil	D	Late	Valley Seeds	4	
<b>Tetila</b>	<b>0</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>Nil</b>	<b>T</b>	<b>Early</b>	<b>Various</b>	<b>27</b>	<b>11.1</b>

## South coast NSW: Summer seasonal performance – ANNUAL RYEGRASS

Cultivar	FVI South coast NSW	Summer	Autumn	Winter	Early spring	Late spring	Endophyte	Ploidy	Heading date	Marketer	No. of trials	Summer metabolisable energy
Prodigy	556	194	136	110	105	104	Nil	T	Late	AGF Seeds	5	9.8
Hogan	461	186	125	105	103	106	Nil	T	Late	Barenbrug Australia	21	10.1
Torpedo LM	568	183	154	108	101	105	Nil	T	Late	Upper Murray Seeds	5	
Dash	267	175	123	90	94	105	Nil	T	Very Late	Cropmark Seeds	9	
Kiama	269	174	116	92	97	105	Nil	T	Late	AlfaGen Seeds	4	10.4
Revel	425	169	117	115	101	107	Nil	T	Late	DLF Seeds	6	9.7
Fuze	312	169	107	102	101	108	Nil	D	Late	Barenbrug Australia	16	10.0
Zoom	468	167	138	102	107	107	Nil	T	Late	Cropmark Seeds	8	
Ascend	423	164	133	102	100	111	Nil	T	Mid	DLF Seeds	18	
RGT Pinnacle	418	164	136	108	101	103	Nil	T	Late	RAGT	20	10.0
Mach 1	408	163	136	102	101	107	Nil	T	Mid	DLF Seeds	22	9.7
Speedyl	421	162	138	107	102	104	Nil	T	Late	RAGT	22	10.0
RGT Menyl	415	159	140	107	101	103	Nil	T	Late	RAGT	13	9.5
Rozen	267	159	120	97	100	103	Nil	D	Late	RAGT	16	9.7
Jivet	464	155	153	106	100	106	Nil	T	Late	DLF Seeds	11	9.8
Loader	359	154	135	97	103	107	Nil	T	Late	AlfaGen Seeds	5	9.9
Dominator	430	146	143	107	104	107	Nil	T	Late	Tasglobal Seeds	7	
Finefeed	294	142	131	102	103	102	Nil	D	Late	Valley Seeds	4	
Epic	229	141	117	99	98	107	Nil	D	Mid-Late	AGF Seeds	5	
Apex 2	377	135	152	109	99	102	Nil	T	Late	AGF Seeds	8	10.0
Astound	321	130	146	90	99	116	Nil	T	Mid	Valley Seeds	4	
Evoke	189	126	131	85	99	111	Nil	T	Late	Valley Seeds	5	
Vortex	298	114	136	104	101	113	Nil	T	Mid-Late	Barenbrug Australia	6	
Atomic	188	105	117	109	101	107	Nil	T	Mid	Upper Murray Seeds	6	
<b>Tetila</b>	<b>0</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>Nil</b>	<b>T</b>	<b>Early</b>	<b>Various</b>	<b>27</b>	<b>10.2</b>

### Disclaimer

The content of this publication is provided for general information only and has not been prepared to address your specific circumstances. We do not guarantee the completeness, accuracy or timeliness of the information.

### Acknowledgement

Dairy Australia acknowledges the funding from levy payers and contribution by Commonwealth Government.

© Dairy Australia Limited 2026. All rights reserved. ISSN 2653-0228 (Online)